



THE IDEAL IRON MFG. CO.


PRESS ON

Toward
The
UPward
call.

Phil.
3:14

In the sewing room for pressing everything
from the heaviest broadspread to the baby's lace cap.

The Self Heating Iron comes in three sizes,
Household size 6 lbs. \$9.00 for Dressmakers
and the Tailors' gosse 14 lbs.



available August 2024 | R-1
last call March 1, 2024

SELF HEATING IRON

FOR HAND AND MACHINE

team

DEPT. 39, CLEVELAND, OHIO.

THE IDEAL IRON MFG CO.

PRESS ON

Toward the upward call.

SELF HEATING IRON

team

FOR BEST PRESSED SHIRTS

No. 1 \$1.75
No. 2 \$2.00

Phil. 3:14

We are

ST. LOUIS, MO. A.J. BROTHERS & CO.

RECOGNIZED LEADERS IN

INDIVIDUAL ADVANTAGES

IN OUR

BALCONY CUSTOM DEPT.

S.E. cor. 1st & 2nd Sts.

GALLIN & SIEGLER LITH. NEW YORK.

SILK HOSIERY. At \$3 per pair (former price \$5). Are offering a fine line of Ladies' Silk Hosiery, in all colors, suitable for Ball and Party wear. Also, a choice assortment of Richelieu Ribbed Hose, fashions.

and press now

matched goods and Trimmings

Broadway and 11th

DRY GOODS

and press now

Phil. 3:14

We are

RECOGNIZED LEADERS IN

INDIVIDUAL ADVANTAGES

IN OUR

BALCONY CUSTOM DEPT.

S.E. cor. 1st & 2nd Sts.

GALLIN & SIEGLER LITH. NEW YORK.

PD15250-PANEL

Press On Iron Patch Panel

DRESS AND MATERIAL. FLORAL DEPARTMENT. HINTS ON ETIQUETTE. HOME COOKING. MOTHER'S CORNER

 <p>ELECTRIC FLAT IRON Pat. 6, 1883</p>	 <p>STEAMING EQUIPMENT FOR STEAMING</p>	 <p>PAID AUG 21, 1895 CAST IRON FILTER HEAT RESISTANT HIS SOUL CAME INTO IRON PSALM 105:17-18</p>	 <p>PRESSING EQUIPMENT FOR PRESSING</p>	 <p>Household size 6 lb. - 9 lbs for Dressmakers and the Tailors' goose 14 lb.</p>
 <p>I PRESS ON SO THAT I MAY LAY HOLD OF THAT WHICH ALSO I HAVE Laid HOLD OF BY CHRIST JESUS. Phil. 3:14.</p>	 <p>WHEN HARD PRESSED, I CRIED OUT TO THE LORD. PSALM 118:5 HARD PRESSED.</p>	 <p>IRONMASTER THE FASTEST HEATING IRON MADE START IRONING IN 30 SECONDS</p>	 <p>PRESS ON TOWARD THE PRIZE TOWARD THE UPWARD CALL Phil. 3:14.</p>	 <p>No. 5</p>
 <p>OAK HALL ROTUNDO, CLOTHING EMPORIUM Nos. 32 and 34 North Street.</p>	 <p>Champion</p>	 <p>FLINT MICH.</p>	 <p>IRONING</p>	 <p>NATIONAL No. 701 Champion SILVER</p>
 <p>YOUNG AMERICA PRESS</p>	 <p>BROOKLYN'S PRESSING CLOTH AND OTHER UNUSUAL ARTICLES</p>	 <p>PEARL TRADE MARK Pearl Pressed</p>	 <p>DUDLEY SAFETY PIN THE STANDARD</p>	 <p>HARTER'S IRON TONIC CURES DISEASES PURIFIES THE BLOOD</p>



PRACTICAL HOUSEKEEPER • ARTISTIC NEEDLEWORK
Tea Table — Washing and Ironing; Nursing the Sick, etc.

PD15251-PANEL

8 89333 37093 2


Press On Iron Patch Panel (10 panels per bolt)

Scaled to 23% | Actual Size is 36" x 43"




Press On Iron Patch Panel (Actual Scale)

Press On Large Patch Panel



Press On Large Patch Panel* (15 panels per bolt)

Scaled to 23% | Actual Size is 24" x 43"



Press On Large Patch Panel (Actual Scale)

Pressed Patents Panels




Fig. 2.









Fig. 2.



Parchment Pressed Patents Panel* (Actual Scale)

White Pressed Patents Panel* (Actual Scale)



White Pressed Patents Panel (15 panels per bolt)


Scaled to 23% | Actual Size is 24" x 43"



CD15254-MULTI




Multi Iron Toss



C15254-RED



Red Iron Toss




C15254-BLACK



Black Iron Toss

Many electric irons have an attached rest to be tipped back when not in use, but even in of this type, a stand is a helpful aid in proper practical type of stand is shown in Fig. 13. that slips over the board to hold the stand, rely in place. Of course, there are many m which to make a selection, it being neces- at the stand should be flat, adequate in size, chored in position.

One woman take is to tack a small sheet of of the board on which the iron rests. This t always necessary extra protection. e various types of stove-heated flat, y of iron, irons with es, also electric, gas, d alcohol irons. oned, stove-heated iently, it cannot bring the comfort and ease eating iron can. The woman who employs a t have to consider saving steps, for instead e or going back and forth to exchange a cold an iron in one spot, and that a comfortable however, will depend on the facilities avail- well to know the outstanding characteristics



Stove-heated irons, flat irons with patent wooden eel, Fig. 14, are more modern than the old- ight iron, the most modern style having a per casing, as has the iron in Fig. 15. Such t so well, nor are they made in so many dif- ight-iron ones. They are, however, easier on h types are usually purchased in threes to equent change of iron.

For heating irons, there is the gas iron, which is he rubber gas pipe of this iron is one of the oning by gas. This pipe will be safer and und with spiral wire to prevent twisting and is necessary to beware of drafts that may iron is in use.

Kerosene, and alcohol irons, the manufacturer's urately followed for the safest and most uch irons must be kept in perfect repair to dents.

An electric iron is shown in Fig. 17. Controlled e small device on the iron directly under the forward in making the ironing process as or by means of this aid a constant heat of be obtained and kept. This means that if on is properly set, there will be no scorching provided, of course, a reasonable speed is ectric irons come in various weights, the t right for the average household.

As a device, an electric iron deserves good care atch the electric cord carefully at all times ny sign of wear appears, this usually coming Also, if your electric iron is not of the heat- e not to let it overheat at any time. It is a at C15255-PARCHMENT when the iron is in con-

be C15255-PARCHMENT
ts
me required for heating
y standing it on a well-

iron will not be bent at too great an bent will soon wear out. It is wel connection with ironing, so keep th the position of your switch.

Spacing is important, also, pa done in the kitchen, for naturally should not be in the center of the vided, of course, all other feature not to have to walk around the bo door-bell, or such other calls that ar

It is well to consider ven of air may not seem so necessary boon when hot summer days make

42. A very helpful, but small which will make ironing a little ea is screwed into the outlet, the can be attached at one time, a great ing or pressing in the evening.

43. Flat Plate Ironer.—In the ous firms making laundry and ki ments are being made in order to d that will simplify and make easier the work of ironing a household. A development along this line is the flat-plate ironer, illustrated in Fig. 18. This consists of a combination of padded ironing board and a corresponding metal plate of exactly the same size, the latter being heated by electric units, thermostatically controlled. By a special mechanism, these two su pressure, this causing that portion been spread over the board, to be The parts are then separated, anot in place, and this is pressed as bef the garment or article is complete included.

In the operation of this ironer, the work is being done, so much of ironing process. Also, because of pressed in each operation, ironing with the regulation iron. Of cor flat plate, she may find it necessary but even so, the plate is a wonder

Such aids require only a reason protection from dust and moist mechanical device, also the waxin face for most efficient service.

44. Mangle.—Another type c trated in Fig. 19. This is an ironi either hand- or power-turned and wringer.

Heated mangles have two roller being open, between which the ar sizes, the most satisfactory for the n irons large sheets after they have are a great time and labor saver families and hence large washings purchase and install, so are not, in money. Mangles that are he or kerosene, may be had, thus fitti

ment out flat on the board, covering the baggy portion with a ell-dampened press cloth, and pressing until the press cloth is ite dry. More detailed instruction concerning the pressing of ecial woolen articles is given in Arts. 135 to 144, inclusive, ry Cleaning.

33. Ironing Boards.—In the selection of an ironing board, space d stability are the important considerations. The average home- aker may choose one of three types: a board made with a self- pporting stand that folds up; a plain skirt board, which requires a ble or support of some kind; or a board that is hinged to the wall d has a folding prop as a support, as shown in Fig. 11. This type lds back against the wall into a recessed cupboard having a door, hich, when closed, conceals the board. These wall cupboards, uipped with the ironing board, can be purchased complete and l ready to set up in laundry or kitchen.

Whatever kind the board is, it should be substantially built so at it stands firm. Also, it must be of the proper height for the orker. As practically all stands are adjustable, it is an easy atter to place the board at a height that will be correct for you. s you stand erect, have the board just high enough for the palm of ur hand to lie flat on the ard when your arm is held raight down without bend- g the elbow.

Consider also the position the supporting arm under- ath, and choose a board at does not have arms so ranged that a skirt placed er the board has its lower ges rumpled by the time e ironing is completed.



34. For padding, avoid a ashion-like surface, but ve the board padded so that there will be no spring to it. Heavy lt or double-faced cotton flannel or silence cloth like that used on bles makes a good pad. Old blankets also make excellent cover- gs. Particular care is necessary to have no wrinkles in the padding, these leave undesirable shiny streaks on garments pressed over em, particularly wool garments.

35. For the ironing sheet over the padding, new unbleached uslin that has been washed to remove all dressing, is very good, or orn sheets may be used, though they do not last long as a rule. ne should have at least two ironing sheets so that they may be anged often, as frequent washing not only insures a clean board, t lengthens the life of the covering.

The top covering should be large enough to cover the board tirely and lap over onto the under surface several inches. There e various ways of fastening, but preference should be given to the ethod that permits ease in changing the coverings and does not require much time. A very successful plan is to have brass or ivory rings sewed to one edge about 6 inches apart. Then, on the opposite edge at corresponding points, sew tapes with ends long enough to ach across under the board, through the rings, and tie.

It is also possible to purchase prepared covers equipped with rings rough which tapes are laced underneath to hold the cover taut, s C15255-WHITE Covers of this type should be thoroughly washed se, they may scorch and burn under the heat. Otto L. Johnson, Inventor, by the Otto L. Johnson. For the b on which to rest the iron when it is not in use e necessary on all boards because of the protection they give to the

J. Webster, Sad Iron, No. 37,118. Patented Dec. 9, 1862.



asbestos ov gives worth

37. Iron irons; the c or sad, iron removable w gasoline, k Although t iron can do to an ironer self-heating of ironing ne iron for a h one. The t able for heat of each type

38. Am handles and fashioned in removable h irons do not ferent shape the hands. allow for a s

39. Am illustrated in greatest dra give greater cracking. fan the flam

In the use directions n efficient ser avoid any d


40. A heat, as ind handle, is e easy to do any desired the heat cor or weakenir used when 6-pound typ

Like any and sensible and repair it around the s controlled ty good plan to stand use.

An electri and for the protected he letting it run ing and the information.


41. An placed outl of this outle tion in orde For the b worker, so, ing board is

Parchment Clothing Care Copy*




Black Cord Stripe*

White Clothing Care Copy*



Mint Cord Stripe




White Cord Stripe*




C15257-RED
8 89333 37106 9

Red Iron Plates (Actual Scale)




C15257-PINK
8 89333 37105 2

Pink Iron Plates (Scaled to 50%)




C15257-WHITE
8 89333 37107 6

White Iron Plates (Scaled to 50%)




C15258-BLACK
8 89333 37108 3

Black Wire Hangers



C15258-WHITE
8 89333 37110 6

White Wire Hangers



C15258-BLUE
8 89333 37109 0

Blue Wire Hangers



Orange Pressing Matters* (Scaled to 50%)




Pink Pressing Matters* (Scaled to 50%)



White Pressing Matters* (Scaled to 50%)

C15259-MINT
8 89333 37111 3


Mint Pressing Matters* (Actual Scale)



Aqua Press On Girl*



White Press On Girl*



Pink Press On Girl



Denim Mini Irons




Aqua Mini Irons*




Red Mini Irons




Black Mini Irons*



Aqua Pinstripe Plaid*




Black Pinstripe Plaid*




Red Pinstripe Plaid



Aqua Ironing Board*




Black Ironing Board




Red Ironing Board*


Press On 107/108" Wide Backs



Black Iron Toss Wide Back




Blue Clothing Care Wide Back (Scaled to 50%)



White Clothing Care Wide Back (Scaled to 50%)

Pressed Patch Quilt by J. Wecker Frisch



Quilt Size 70" x 70"

estimated requirements

- (1) 10-15250-42 10" Stacker
- (2) P15253-WHITE Pressed Patents Panels
- Additional Fabrics**
- 3 1/4 Yards C120-RILEYWHITE Confetti Cotton (Background)
- 2/3 Yard C15256-BLACK Cord Stripe (Binding)
- 2 1/4 Yards WB15265-BLUE Clothing Care (Backing)




Pre-order the P120-PRESSED Quilt Pattern

P120-PRESSED



8 89333 37133 5

Press On Panel Quilt by J. Wecker Frisch



Quilt Size 37 1/2" x 57 1/2"

estimated requirements

- (1) PD15250-PANEL Press On Main Panel
- Additional Fabrics**
- 1/3 Yard C15262-BLACK Pinstripe Plaid
- 1 3/4 Yards C15256-WHITE Cord Stripe
- 3/8 C15263-BLACK Ironing Board (Binding)

FREE PATTERN AVAILABLE ON OUR WEBSITE AUGUST 2024

www.rileyblakedesigns.com



Solid Box Size: 6" x 10" x 2 1/2"
(Printed belly band)

Includes pattern and fabric for quilt top and binding

AVAILABLE SEPTEMBER 2024

Pre-order the Press On Panel Quilt Kit

KT-15250



8 89333 37351 3

When you purchase the fabrics or kits for this quilt, you'll be eligible to purchase one digitally-printed quilt top to finish and hang in your store.


Pre-order the Digital Quilt Top

SD-15250



8 89333 37397 1

Machines by J. Wecker Frisch



Quilt Size 37" x 37"

estimated requirements

- 1/3 Yard of Each
- C15255-PARCHMENT Clothing Care Copy
- C15259-MINT Pressing Matters
- C15259-ORANGE Pressing Matters
- C15259-PINK Pressing Matters
- C15262-AQUA Pinstripe Plaid
- C15263-AQUA Ironing Board
- C15263-RED Ironing Board
- WB15265-BLUE Clothing Care

Additional Fabrics


- 3/4 Yard C15259-WHITE Pressing Matters
- 1 Yard C120 RILEYWHITE Confetti Cotton (Background)
- 3/4 Yard C15256-BLACK Cord Stripe (Includes Binding)

Pre-order the
P120-MACHINES
Quilt Pattern

P120-MACHINES



Steam Patch by J. Wecker Frisch



Quilt Size 50" x 50"

estimated requirements

- (1) PD15250-PANEL Press On Main Panel
- (1) P15253-PARCHMENT Pressed Patents Panel
- (1) P15253-WHITE Pressed Patents Panel

1/4 Yard of Each

- C15255-WHITE Clothing Care Copy
- C15256-WHITE Cord Stripe
- C15260-AQUA Press On Girl
- C15260-WHITE Press On Girl
- C15261-AQUA Mini Irons
- C15262-AQUA Pinstripe Plaid
- C15262-BLACK Pinstripe Plaid

1/3 Yard of Each

- C15263-AQUA Ironing Board
- C120-RILEYWHITE Confetti Cotton

Additional Fabrics

- 1/2 Yard C15261-BLACK Mini Irons
- 2/3 Yard C15259-WHITE Pressing Matters
- 3/4 Yard C15255-PARCHMENT Clothing Care Copy (Background)
- 1/2 Yard C15256-BLACK Cord Stripe (Binding)
- 1 2/3 Yards WB15265-WHITE Clothing Care (Backing)

FREE PATTERN
AVAILABLE ON OUR WEBSITE
AUGUST 2024

www.rileyblakedesigns.com



About the Line

Press On in part was inspired during a trip to Hamilton Missouri and a visit with Jenny Doan. I was invited to see her private studio space in the restored 1920 Public Library. Just inside the foyer, shelves of antique irons flank the front entrance which house Jenny's extensive collection. I was captivated at first sight.


One of my original *She Who Sews* characters of the same name *Press On*, was the perfect pairing to highlight the charming household collectibles. Scripture inspiration featured throughout is from Phillipians 3:14.

Watch for a special quilt by Jenny Doan on the MSQC YouTube channel.



J. Wecker Frisch
@jweckerfrisch


precuts



FFYD-15250



Flat Fold Bundle
25 Yards



RP-15250-40




Rolie Polie
40 Pieces
(15254 not included)



5-15250-42




5-Inch Stacker
42 Pieces
(15254 not included)



10-15250-42



10-Inch Stacker
42 Pieces
(15254 not included)



FQ-15250-31



Fat Quarter Bundle
31 Pieces

pre-order only

ADD ANY LAMINATE WITH 100 YARDS MINIMUM
PANELS ARE INCLUDED IN CASE PACKS



1YD-15250B-10



Black 1-Yard Bundle
10 Pieces



1YD-15250M-11



Multi 1-Yard Bundle
11 Pieces



1YD-15250R-10



Red 1-Yard Bundle
10 Pieces



1P-15250-5




Panel Bundle
5 Pieces



CP10-15250-20



10-Yard Half Assortment
Case Pack
(Includes * SKUs)



CP10-15250-36



10-Yard Case Pack



CP15-15250-36



15-Yard Case Pack

available August 2024 **last call March 1, 2024**

100% FINE COTTON · 43/44" WIDE · MADE IN KOREA



9646 South 500 West
Sandy, UT 84070
888.768.8454 · 801.816.0540
www.rileyblakedesigns.com

©2024 Riley Blake Designs & J. Wecker Frisch

Machine Wash Cold
No Chlorine Bleach
Tumble Dry Low
Remove Promptly
Not Intended for Children's Sleepwear

The projects portrayed are virtual images. The look of the projects may differ with actual fabric.

The project virtual(s) shown may be different than the image shown on the pattern cover.

Approximate fabric requirements are listed to aid in estimating the amount of yardage to order and are subject to change.

Backing yardage is shown using the best use of fabric and may not be intended for directional fabric.