

WITCHES' BOOTS FELT PANEL STOCKINGS

Riley Blake
DESIGNS®



15" x 17 3/8", 14" x 16 7/8", 13 7/8" x 15", and 13 1/2" x 17"



= Beginner



04/01/2025

WITCHES' BOOTS FELT PANEL STOCKINGS

FINISHED PROJECT SIZES 15" × 17 3/8", 14" × 16 7/8", 13 3/8" × 15", and 13 1/2" × 17"

Please read all instructions before beginning this project.

GENERAL INSTRUCTIONS

Please check www.rileyblakedesigns.com/pattern-updates or scan the QR Code for any revisions before starting this project. This pattern requires a basic knowledge of sewing techniques and terminology. The diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric. It is not recommended to prewash fabric before cutting and assembling.



WST = Wrong Sides Together

FABRIC REQUIREMENTS

All fabrics from the Ghoulish Friends collection unless stated otherwise.

(1) FT16059-PANEL Witches' Boots Felt Panel

CUTTING INSTRUCTIONS

Measurements include 1/4" seam allowance. Label, allocate, and organize all cuts as noted.



Witches' Boots Felt Panel

Carefully cut out (4) Boots, (4) Backings, and (4) Tabs.

OPTIONAL: Cut out any additional motifs from the remainder of the panel to embellish the stockings.

SEWING TECHNIQUES

Sew all seams WST and with a 1/4" seam allowance unless stated otherwise. Press seams as desired unless stated otherwise. Note: Heat from a hot iron can melt the acrylic felt panel. If you choose to iron, make sure to do a TEST press on a scrap of panel felt fabric first.

STOCKING ASSEMBLY

1. OPTIONAL: Embellish the Boots using the extra motifs from the panel if you wish. You can hand appliqué, machine appliqué, or use fabric glue to attach the motifs.


The diagrams below show some suggested placements for the motifs, but place them wherever you prefer.



2. With WST, fold each Tab in half lengthwise, then sew 1/4" from each long edge.



3. Next, fold each Tab in half so the short ends are aligned. Baste a scant 1/4" from the unfolded short end.



WITCHES' BOOTS FELT PANEL STOCKINGS

4. Lay Backing 1 right side down. Align Tab 1 with the top right corner of the Backing with the basted edge placed approximately ¼" inside the Backing as shown below. Sew along the basted edge to secure the Tab to the Backing, backstitching at the beginning and end.



5. Layer Boot 1 and Backing 1 with WST. If desired, use pins or clips to secure the layers in place. Sew around the perimeter of the sides and bottom edges of the boot along the boot image, backstitching at the beginning and the end, to complete (1) stocking.



6. Repeat steps 4-5 using matching sets of Boots, Backings, and Tabs to make (3) additional stockings.



Enjoy and share your stockings using the hashtags:

[#ghoulfriendsfabric](#), [#witchesbootsfeltpanel](#), [#rileyblakedesigns](#), and [#iloverileyblake](#).