

FLOUR SACK LARGE PATCH PANEL PILLOWS



18 1/2" x 18 1/2"



= Confident Beginner

06/01/2026

FLOUR SACK LARGE PATCH PANEL PILLOWS

FINISHED PILLOW SIZES 18 ½" × 18 ½"

Please read all instructions before beginning this project.
Yardage calculated using a 42" usable width of fabric.
Pattern designed by J. Wecker Frisch of Great Joy Studio.

GENERAL INSTRUCTIONS

The materials, cutting, and instructions that follow make (3) total pillows.

Please check www.rileyblakedesigns.com/pattern-updates or scan the QR Code for any revisions before starting this project. This pattern requires a basic knowledge of sewing techniques and terminology. The diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric. It is not recommended to prewash fabric before cutting and assembling.



Always verify your panel size before beginning. If your panel measurements differ from those given in the pattern, trim to the desired size or use coping strips to alter the size of your panel. If coping strips are needed, add oversized, coordinating strips of fabric to the necessary edges of the panel, then trim to the size specified in the pattern.

WOF = Width of Fabric
RST = Right Sides Together
WST = Wrong Sides Together

FABRIC REQUIREMENTS

Fabric is from the Gingerbread collection unless stated otherwise.

(1) PD17841-PANEL Flour Sack Large Patch Panel

¾ Yard of Each:

C17848-BROWN Ingredients Check (includes backing)
C17848-GREEN Ingredients Check (includes backing)
C17848-RED Ingredients Check (includes backing)

Additional Fabrics:

½ Yard C120-RILEYWHITE Confetti Cotton™ Solid
¼ yard C17844-WHITE Recipe Text (binding)
¼ yard C17849-WHITE Baking Girls (binding)
¼ yard C17856-GINGERSNAP Sugary Gingham (binding)



OTHER SUPPLIES

Basic Sewing Supplies
(3) Pillow Forms (18" × 18")

© 2025 Riley Blake Designs. All Rights Reserved.

CUTTING INSTRUCTIONS

When cutting fabrics, use a straight edge ruler and rotary cutter. Measurements include ¼" seam allowance. Label, allocate, and organize all cuts as noted.



Flour Sack Large Patch Panel

Fussy cut (3) 12" × 12" Panel squares, centered over the motifs.*


*Note: If the panel motifs do not reach the edges of the required cuts, add coping strips first and then trim to the required sizes.



Riley White Confetti Cotton™ Solid

Cut (4) 1 ¾" × WOF strips. Subcut:

- (6) 1 ¾" × 14 ½" rectangles. Label as A.
- (6) 1 ¾" × 12" rectangles. Label as B.




Brown Ingredients Check, Green Ingredients Check, Red Ingredients Check

From each fabric, cut:


- (1) 11 ¾" × WOF strip. Subcut:
 - (2) 11 ¾" × 18 ½" rectangles for pillow backing.

From remaining of each fabric, fussy cut:

- (2) 2 ½" × 18 ½" rectangles, centered over the checkerboard design, starting with a dark square on top/light square on bottom and leaving ¼" outside the squares for the seam allowance as shown below. Label as C.
- (2) 2 ½" × 14 ½" rectangles, centered over the checkerboard design, starting with a light square on top/dark square on bottom and leaving ¼" outside the squares for the seam allowance as shown below. Label as D.



FLOUR SACK LARGE PATCH PANEL PILLOWS



White Recipe Text, White Baking Girls, Gingersnap Sugary Gingham

From each fabric, cut:

(2) 2 ½" x WOF strips. Set aside for binding.

SEWING TECHNIQUES

Sew all seams RST and with a ¼" seam allowance unless stated otherwise. Refer to the diagrams for placement of the fabrics. Press seams as desired unless stated otherwise. Dimensions listed in steps are unfinished sizes.


PILLOW ASSEMBLY

- From one fabric, gather (2) **C**-rectangles, (2) **D**-rectangles, and (2) pillow backing rectangles. Also, gather (1) Panel square, (2) **A**-rectangles, (2) **B**-rectangles, and binding strips. Refer to the images on page 4 for fabric combinations in each pillow.
- Sew (1) **B**-rectangle to each side of (1) Panel square as shown below. Next, sew (1) **A**-rectangle to the top and bottom. In the same manner, sew **D**-rectangles to the sides and **C**-rectangles to the top and bottom to make (1) pillow front. Pay careful attention to the orientation of the **C**- and **D**-rectangles, so they form a checkerboard pattern around the pillow.




- Hem one long edge of (1) 11 ¾" x 18 ½" pillow backing rectangle by turning the raw edge under ¼" twice and sewing along the inside folded edge. The pillow backing piece should measure 11 ¼" x 18 ½". Repeat to make a second pillow backing piece.

Make (2)




- Layer together (2) pillow backing pieces so the hemmed edges overlap to create an 18 ½" x 18 ½" square. Sew a basting seam where the two backing pieces overlap, ⅛" away from the left and right edges, to make the pillow backing.



FLOUR SACK LARGE PATCH PANEL PILLOWS

5. Place (1) pillow front and (1) pillow backing WST and sew around all four sides using a $\frac{1}{8}$ " seam.



6. Sew (2) binding strips together end-to-end. Bind the pillow using your favorite binding method and press to complete the pillow cover. Place (1) pillow form inside the cover to complete the pillow.



7. Repeat steps 1-6 to make (2) additional pillows.



Enjoy and share your pillows using the hashtags: [#gingerbreadfabric](#), [#floursacklargepatchpanelpillows](#), [#rileyblakedesigns](#), and [#iloverileyblake](#).