

CAMP S'MORES PANEL QUILT


Riley Blake
DESIGNS™



64" x 64"



= Beginner



CAMP S'MORES PANEL QUILT

FINISHED QUILT SIZE 64" x 64"

Measurements include ¼" seam allowance.

Sew with right sides together unless otherwise stated.

Please check our website www.rileyblakedesigns.com/pattern-updates for any revisions before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

WOF = Width of Fabric

RST = Right Sides Together

Press seams open unless otherwise stated

FABRIC REQUIREMENTS

- (1) Camp S'mores Panel (P13628-PANEL)
- ⅓ yard Confetti Cottons Silver (C120-SILVER)
- ⅓ yard Confetti Cottons Bear Lake (C120-BEARLAKE)
- ⅓ yard Confetti Cottons Alpine (C120-ALPINE)
- ⅓ yard Confetti Cottons Latte (C120-LATTE)
- ⅞ yard Cream Autumn Gunnysack (C7362)
- ⅓ yard Marshmallows (C13627)
- ⅓ yard Hershey's Bars (C13626)
- ⅓ yard Graham Crackers (C13625)
- ⅓ yard Autumn Shabby (C605-AUTUMN)
- ⅓ yard Chestnut Shabby (C605-CHESTNUT)
- ⅓ yard Chocolate Shabby (C605-CHOCOLATE)
- ⅓ yard Pumpkin Shabby (C605-PUMPKIN)
- ⅓ yard Autumn Solid (C120-AUTUMN)
- ⅓ yard Riley Orange Solid (C120-ORANGE)
- ⅓ yard Mac 'N Cheese Solid (C120-MACNCHEESE)
- 1 yard Green Main (C13620)
- ⅞ yard Green Plaid (C13624)- includes binding

OTHER SUPPLIES

Basic Sewing Supplies

2 yards Riley Fabrics 108" WOF Wide Backing

72" x 72" piece of Batting


CUTTING REQUIREMENTS

- Please read instructions before cutting fabrics.
- Cutting Instructions are based on 42" WOF.
- Refer to the quilt photo for the placement of fabrics.
- Use a straight edge ruler and rotary cutter to cut fabrics.
- All dimensions are shown as width x height.
- Label pieces as you cut.

Camp S'mores Panel


Cut out each of the (4) blocks from the panel. Each block should be 16 ¾" x 18".

Designer Note: If your block does not measure 18" x 18", you may add additional coping strips to the top and/or bottom of the panel block. If you wish to add coping strips, cut out an additional (2) 2" x 18" from each Confetti Cottons fabric.



Confetti Cottons Silver, Bear Lake, Alpine, and Latte

From each solid fabric, cut (2) 2" x 18" **A**



Cream Autumn Gunnysack

Cut (4) 3 ⅛" x WOF strips; subcut:

(8) 3 ⅛" x 18" **F**

Cut (1) 3" x WOF strip; subcut:

(1) 3" x 4 ½" **T**

(2) 3" x 3" **S**

(5) 2 ¾" x 5 ¾" **E**

Cut (1) 2 ¾" x WOF strip; subcut:

(1) 2 ¾" x 12 ½" **Y**

(3) 2 ¾" x 5 ¾" **E**

(1) 2 ½" x 2 ½" **V**

(1) 2 ½" x 3 ½" **W**

Cut (3) 2" x WOF strips; subcut:

Strip 1: (2) 2" x 18" **ZZ**

(1) 2" x 5 ½" **R**

Strip 2: (1) 2" x 13 ½" **X**

(1) 2" x 8 ½" **P**

(1) 2" x 8 ¼" **N**

(3) 2" x 2" **L**

Strip 3: (16) 2" x 1 ¼" **B**

(12) 1 ½" x 1 ½" **D**

Cut (1) 1 ¾" x WOF strip; subcut:

(16) 1 ¾" x 2 ½" **C**

Cut (1) 1 ⅝" x WOF strip; subcut:

(2) 1 ⅝" x 15" **Z**

(6) 1 ½" x 1 ½" **D**

CAMP S'MORES PANEL QUILT



Hersheys Bars

Cut (4) 2 ½" x WOF strips; subcut:
(8) 2 ½" x 15 ½"



Graham Crackers

Cut (4) 2" x WOF strips; subcut:
(8) 2" x 16 ½"




Marshmallows

Cut (2) 5 ¾" WOF strips; subcut:
(4) 5 ¾" x 13 ½"




Autumn Shabby

Cut (1) 3" x 9 ½" AA



Chestnut Shabby

Cut (1) 3" x 3" H
(1) 2" x 2" H




Chocolate Shabby

Cut (1) 3" x 7 ¾" J
(1) 2" x 4 ½" K
(4) 1 ½" x 1 ½" G
(4) 1" x 1" G




Pumpkin Shabby

Cut (1) 2" x 4 ¾" M
(1) 2" x 5 ½" O




Autumn Solid

Cut (1) 3" x 12 ½" BB
(1) 1 ½" x 1 ½" I




Riley Orange Solid

Cut (1) 2 ½" x 9 ½" U



Riley Mac 'N Cheese Solid

Cut (1) 2" x 7 ½" Q



Green Plaid

Cut (6) 1 ½" x WOF strips, then join the ends together to make (1) long strip. Subcut the strip:
(2) 1 ½" x 53" (horizontal inner border strips)
(2) 1 ½" x 55" (vertical inner border strips)
Cut (7) 2 ½" WOF strips, then reserve for binding.




Green Main

Cut (6) 5" x WOF strips, then join the ends together to make (1) long strip. Subcut the strip:
(2) 5" x 64" (horizontal outer border strips)
(2) 5" x 55" (vertical outer border strips)

CAMP S'MORES PANEL QUILT

PANEL BLOCKS

1. Sew (2) **Piece A** of matching color fabric RST to the left and right side of each block cut out from the panel.




Then, fussy cut the unit to measure 18" x 18".
Repeat to make (4) panel blocks.


Designer Note: If your block does not measure 18" x 18", you may add additional coping strips to the top and/or bottom. Fussy cut your block with added coping strips to 18" x 18".

S'MORES BLOCKS

2. Sew (2) **Piece B** RST to the left and right side of each 16 1/2" x 2" Graham Cracker rectangle. Repeat to make (8) 18" x 2" Graham cracker rows.



3. Sew (2) **Piece C** RST to the left and right side of each 15 1/2" x 2 1/2" Chocolate rectangle. Repeat to make (8) 18" x 2 1/2" Chocolate rows.




4. Draw a diagonal line across the wrong side of (16) **Piece D** and place them RST to each corner of (4) 13 1/2" x 5 3/4" Marshmallow rectangle in the arrangement shown below. Sew along the diagonal lines.



5. Trim 1/4" away from the seams, on the outer sides of the unit. Then, press the triangle corners open. Repeat (4) times.




6. Sew (2) **Piece E** RST to the left and right side of the unit. Repeat to make (4) 18" x 5 3/4" Marshmallow rows.



BLOCK ASSEMBLY


7. Gather all **Piece F** and units made from steps 1, 2, and 5. Arrange them into rows in the order shown below and sew the rows together. Make (4) 18" x 18" blocks.




CAMP S'MORES PANEL QUILT

CAMPFIRE BLOCK

8. Gather (4) $1\frac{1}{2}$ " x $1\frac{1}{2}$ " **Piece G** squares and (4) 1 " x 1 " **Piece G** squares. Draw a diagonal line across the wrong side of each fabric square.




9. Place each (4) $1\frac{1}{2}$ " x $1\frac{1}{2}$ " **Piece G** square on the corner of (1) 3 " x 3 " **Piece H** square so that the diagonal lines run in the same directions that are shown below. Sew along the diagonal lines and trim $\frac{1}{4}$ " away from the seams. Press the triangle corners open.




10. Place each (4) 1 " x 1 " **Piece G** square on the corner of (1) 2 " x 2 " **Piece H** square so that the diagonal lines run in the same directions that are shown below. Sew along the diagonal lines and trim $\frac{1}{4}$ " away from the seams. Press the triangle corners open.



11. Draw a diagonal line across the wrong side of **Piece I** and place RST to the top left corner of **Piece J**. Sew along the diagonal line, then trim $\frac{1}{4}$ " away from the seam. Press the triangle corner open.




12. Sew the unit from the previous step RST to the unit made in step 2. The unit should measure $10\frac{1}{4}$ " x 3 ".




13. Sew the unit from step 3 RST to the left side of **Piece K**. The unit should measure 6 " x 2 ".




14. Draw a diagonal line across the wrong side of (2) **Piece D** and (2) **Piece L**.



15. Place (1) **Piece L** RST to the top left corner of **Piece M**, and place (1) **Piece D** RST to the top right corner of **Piece M**, making sure both diagonal lines run in the same directions shown below. Sew along the diagonal lines and trim $\frac{1}{4}$ " away from the seams. Press the triangle corners open. The new unit should measure $4\frac{3}{4}$ " x 2 ".



16. Sew **Piece N** RST to the left side of the unit from the previous step. The new unit should measure $12\frac{1}{2}$ " x 2 ".




17. Place (1) **Piece L** RST to the top right corner of **Piece O**, and place (1) **Piece D** RST to the top left corner of **Piece O**, making sure both diagonal lines run in the same directions shown below. Sew along the diagonal lines and trim $\frac{1}{4}$ " away from the seams. Press the triangle corners open. The new unit should measure $5\frac{1}{2}$ " x 2 ".




CAMP S'MORES PANEL QUILT


18. Sew **Piece P** RST to the right side of the unit from the previous step. The new unit should measure $13\frac{1}{2}'' \times 2''$.



19. Draw a diagonal line across the wrong side of (1) **Piece L** square and place it RST to the right side of **Piece Q**. Sew along the diagonal line and trim $\frac{1}{4}''$ away from the seam. Press the triangle corner open. The unit should measure $7\frac{1}{2}'' \times 2''$.




20. Sew **Piece R** RST to the right side of the unit from the previous step. The unit should measure $12\frac{1}{2}'' \times 2''$.



21. Draw a diagonal line across the wrong side of (1) **Piece S** and place RST to the right side of (1) **Piece AA**. Sew along the diagonal line, then trim $\frac{1}{4}''$ away from the seam. Press the triangle corner open.




22. Sew **Piece T** RST to the right side of the unit from the previous step. The unit should measure $13\frac{1}{2}'' \times 3''$.




23. Draw a diagonal line across the wrong side of (1) **Piece V** square and place it RST to the right side of **Piece U**. Sew along the diagonal line and trim $\frac{1}{4}''$ away from the seam. Press the triangle corner open. The unit should measure $9\frac{1}{2}'' \times 2\frac{1}{2}''$.




24. Sew **Piece W** RST to the right side of the unit from the previous step. The unit should measure $12\frac{1}{2}'' \times 2\frac{1}{2}''$.



25. Draw a diagonal line across the wrong side of (1) **Piece S** and place RST to the right side of (1) **Piece BB**. Sew along the diagonal line, then trim $\frac{1}{4}''$ away from the seam. Press the triangle corner open.




26. Gather **Piece X**, and units made in steps 11 and 15. Sew them RST side-by-side in the arrangement shown below, then sew the unit from step 6 RST to the bottom of the unit. The unit should measure $6'' \times 15''$.




CAMP S'MORES PANEL QUILT


27. Gather **Piece Y**, and units made in steps 9, 13, 17, and 18. Sew them RST side-by-side in the arrangement shown below, then sew the unit from step 5 RST to the bottom of the unit. The unit should measure 10 1/4" x 15".



28. Gather the units made in the previous (2) steps and sew them RST in the arrangement shown below. Then, sew (2) **Piece Z** RST to the left and right side of the unit. The new unit should measure 18" x 15".



29. Sew (2) **Piece ZZ** RST to the top and bottom of the unit to complete the block. The block should measure 18" x 18".



CAMP S'MORES PANEL QUILT

PANEL ASSEMBLY

30. Gather (4) panel blocks, (4) s'mores blocks, and (1) campfire block. Arrange the blocks into the formation below. Sew the blocks into rows, then sew the rows together. The unit should measure 53" x 53".



31. Sew (2) horizontal inner border strips RST to the top and bottom of the unit. Then, sew (2) vertical inner border strips RST to the left and right side of the unit. The new unit should measure 55" x 55".



32. Sew (2) vertical outer border strips RST to the left and right side of the unit. Then, sew (2) horizontal outer border strips RST to the top and bottom of the unit to finish the quilt top. The quilt top should measure 64" x 64".



FINISHING THE QUILT

Finish your quilt by layering the quilt top, batting and backing. Quilt as desired. Bind with (7) 2 1/2" x WOF Green Plaid strips.

Enjoy and share your quilt using the hashtags [#hersheymfabric](#), [#camps'moresquilt](#), [#rileyblakedesigns](#), and [#iloverileyblake](#).