

COVERED BRIDGES IN WINTER PILLOW PANEL QUILT



62 1/2" x 62 1/2"



= Confident Beginner



COVERED
BRIDGES *in Winter*

07/01/2026

COVERED BRIDGES IN WINTER PILLOW PANEL QUILT

FINISHED QUILT SIZE 62 ½" × 62 ½"

Please read all instructions before beginning this project.
Yardage calculated using a 42" usable width of fabric.

Pattern designed by Tara Reed.

GENERAL INSTRUCTIONS

Please check www.rileyblakedesigns.com/pattern-updates or scan the QR Code for any updates before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric. It is not recommended to prewash fabric before cutting and assembling.



Always verify your panel size before beginning. If your panel measurements differ from those given in the pattern, trim to the desired size or use coping strips to alter the size of your panel. If coping strips are needed, add oversized, coordinating strips of fabric to the necessary edges of the panel, then trim to the size specified in the pattern.

WOF = Width of Fabric
RST = Right Sides Together
SNF = Stitch and Flip
HST = Half Square Triangle

FABRIC REQUIREMENTS

Fabric is from the Covered Bridges in Winter collection unless stated otherwise.

(1) PD18005-PANEL Covered Bridges in Winter Pillow Panel

Fat ¼ of Each:

C120-DAHLIARED Confetti Cotton™ Solid
C120-PEBBLE Confetti Cotton™ Solid



¾ Yard of Each:

C18002-BLUE Snowflakes
C18002-ICEBERG Snowflakes

Additional Fabrics:


¾ yard CD18000-SNOW Main
¾ yard C120-BRIGHTWHITE Confetti Cotton™ Solid
2 ½ yards C18001-BLUE Trees (includes binding)

OTHER SUPPLIES

Basic Sewing Supplies
2 yards WB200-SNOW Shade (wide back backing)
Batting

CUTTING INSTRUCTIONS

When cutting fabrics, use a straight edge ruler and rotary cutter. Measurements include ¼" seam allowance. Label, allocate, and organize all cuts as noted.



Covered Bridges in Winter Pillow Panel

Fussy cut (4) 16 ½" × 16 ½" Panel squares, centered over the motifs.*

**Note: If the panel motifs do not reach the edges of the required cuts, add coping strips first and then trim to the required sizes.*



Dahlia Red Confetti Cotton™ Solid

Cut (20) 1 ½" × 2 ¾" rectangles. Label as A.
Cut (40) 1 ½" × 1 ½" squares. Label as B.




Pebble Confetti Cotton™ Solid

Cut (16) 1 ½" × 2 ¾" rectangles. Label as C.
Cut (32) 1 ½" × 1 ½" squares. Label as D.



Blue Snowflakes

Cut (3) 3 ¼" × WOF strips. Subcut:
(36) 3 ¼" × 3 ¼" squares. Label as E.



Iceberg Snowflakes


Cut (2) 6 ½" × WOF strips. Subcut:
(9) 6 ½" × 6 ½" squares. Label as F.

COVERED BRIDGES IN WINTER PILLOW PANEL QUILT



Snow Main

Fussy cut (9) 6" × 6" squares. Label as G.



Bright White Confetti Cotton™ Solid

Cut (2) 6 ½" × WOF strips. Subcut:

(9) 6 ½" × 6 ½" squares. Label as H.

From remainder of (1) strip, cut

(2) 2 ¾"-wide strips. Subcut:

(16) 2 ¾" × 2 ¾" squares. Label as I.

Cut (2) 2 ¾" × WOF strips. Subcut:

(20) 2 ¾" × 2 ¾" squares. Label as I.

Cut (6) 1 ½" × WOF strips. Subcut:

(12) 1 ½" × 16 ½" rectangles. Label as J.



Blue Trees*

Cut (2) 16 ½" × WOF strips. Subcut:

(12) 5" × 16 ½" rectangles. Label as K.

From remainder of (1) strip, cut

(3) 5"-wide strips. Subcut:

(3) 16 ½" × 5" rectangles. Label as L.

Cut (5) 5" × WOF strips. Subcut:

(9) 16 ½" × 5" rectangles. Label as L.

Cut (7) 2 ½" × WOF strips. Set aside for binding.


**Note: This is a directional fabric. Cutting is listed width × height.*

SEWING TECHNIQUES

Sew all seams RST and with a ¼" seam allowance unless stated otherwise. Refer to the Quilt Layout Diagram for placement of the fabrics. Press seams as desired unless stated otherwise. Dimensions listed in steps are unfinished sizes. Please refer to the following general sewing techniques as these methods are referenced throughout the pattern in their abbreviated form.


STITCH AND FLIP METHOD (SNF)

Place (2) pieces RST, matching raw edges in the corner to be replaced. Draw a diagonal line on the wrong side of the smaller piece across the corner. Sew on the drawn line. Trim the seam allowance outside the sewn line to ¼". Flip the smaller piece away from the larger piece and press, replacing the corner. The size of the larger, original piece does not change.



8-AT-A-TIME HALF SQUARE TRIANGLE METHOD (HST)

Place (2) squares RST. Draw a diagonal line, corner to corner, in both directions on the wrong side of (1) square. Sew ¼" on each side of the drawn lines. Cut on the drawn lines and through the vertical and horizontal centers to create (8) HSTs. Press toward the darker fabric. Trim HSTs to the indicated size.




COVERED BRIDGES IN WINTER PILLOW PANEL QUILT

BLOCK ASSEMBLY


1. Use the SNF method to make the units shown below, referencing the diagrams for quantity, proper placement, and orientation.

Make (16)



2 3/4" x 2 3/4"

Make (20)



2 3/4" x 2 3/4"

Make (9)



6" x 6"

2. Use the 8-at-a-time HST method using (1) **F**-square and (1) **H**-square to make (8) total HST units. Repeat to make (72) total units.


Make (72)



2 3/4" x 2 3/4"

3. Sew (2) HST units and (1) **C**-rectangle together as shown below to make (1) Pebble Side Unit. Repeat to make (16) total units.

Make (16)



2 3/4" x 6"

4. Use the SNF method to sew (1) **D**-square to each corner of (1) E/G SNF unit as shown below to make (1) Pebble Center Unit. Repeat to make (4) total units.

Make (4)



6" x 6"

5. Arrange (4) D/I SNF units, (4) Pebble Side Units, and (1) Pebble Center Unit as shown below. Sew the units together into rows. Next, sew the rows together to make (1) Pebble Block. Repeat to make (4) total blocks.


Make (4)



10 1/2" x 10 1/2"

COVERED BRIDGES IN WINTER PILLOW PANEL QUILT


6. Sew (2) HST units and (1) **A**-rectangle together as shown below to make (1) Dahlia Red Side Unit. Repeat to make (20) total units.




7. Use the SNF method to sew (1) **B**-square to each corner of (1) E/G SNF unit as shown below to make (1) Dahlia Red Center Unit. Repeat to make (5) total units.




8. Arrange (4) B/I SNF units, (4) Dahlia Red Side Units, and (1) Dahlia Red Center Unit as shown below. Sew the units together into rows. Next, sew the rows together to make (1) Dahlia Red Block. Repeat to make (5) total blocks.



9. Sew (2) **L**-rectangles and (1) **J**-rectangle together as shown below to make (1) Horizontal Sashing Block. Repeat to make (6) total blocks. (Make sure the fabrics are facing upright.)



10. Sew (2) **K**-rectangles and (1) **J**-rectangle together as shown below to make (1) Vertical Sashing Block. Repeat to make (6) total blocks. (Make sure the fabrics are facing upright.)



COVERED BRIDGES IN WINTER PILLOW PANEL QUILT

QUILT ASSEMBLY

11. Arrange (4) Pebble Blocks, (6) Horizontal Sashing Blocks, (5) Dahlia Red Blocks, (6) Vertical Sashing Blocks, and (4) Panel squares as shown below. Sew the blocks and squares together into rows. Next, sew the rows together to complete the quilt top.

QUILT LAYOUT DIAGRAM



62 1/2" x 62 1/2"

FINISHING INSTRUCTIONS

12. Layer the quilt top, batting, and backing. Baste the quilt layers together and quilt as desired. Sew the Blue Trees binding strips together end-to-end. Then bind the trimmed, finished quilt using your favorite binding method.

Enjoy and share your quilt using the hashtags: [#coveredbridgesinwinterfabric](#), [#coveredbridgesinwinterpillowpanelquilt](#), [#rileyblakedesigns](#), and [#iloverileyblake](#).