





#### FINISHED QUILT SIZE 52" x 59"

Measurements include ¼" seam allowance. Sew with right sides together unless otherwise stated.

Please check our website www.rileyblakedesigns.com for any revisions before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

**WOF** = Width of Fabric **RST** = Right Sides Together

#### **CUTTING REQUIREMENTS**

- Please read instructions before cutting fabrics.
- Cutting Instructions are based on a 42" WOF.
- Refer to the guilt photo for the placement of each of the fabrics.
- Use a rotary ruler and rotary cutter to cut your fabrics.
- Label pieces as you cut.

#### KIT INCLUDES

(1) 5" Stacker

(1) More Greens panel

¾ yard Hunter Main

¾ yard Cream Texture

% yard Hunter Golfers (binding)

#### **OTHER SUPPLIES**

**Basic Sewing Supplies** 3½ yards backing fabric 62" x 70" piece of batting



#### P13006 Panel

(1) 34½" x 42½" fussy cut, centering panel



#### **C610-Cream Texture**

(4) 2½" x 34½"

(4) 2½" x 42½"



#### C13002-Hunter Golfers

(6) 21/2" x WOF for binding



#### C13000-Hunter Main

(2) 5½" x 34½"

(2) 5½" x 42½"

#### 5" Stacker

(36) 3½" squares

#### **Blocks:**

Make 4

1. Choose (9) 3½" x 3½" squares and sew them together to make a 9-patch block. Press in the direction of the arrows. Square to 9½" x 9½" unfinished. Make (4) blocks.





#### Sashing:


2. Sew (2) cream 2½" x 34½" strips and (1) hunter 5½" x 34½" strip together as shown. Press seams towards the darker fabric. Make (2) horizontal borders and set aside.



3. Repeat step 2, using (2) cream 2½" x 42½" strips and (1) hunter 5½" x 42½" strip. Make (2) vertical borders and set aside.

### **Assembly:**

4. Sew (1) prepared 42½" border strip to the left and right sides of the quilt (see assembly diagram). Press strips toward the center of the quilt.



5. Sew one 9-patch block to each end of the two 34½" sashing strips and add to the top and bottom of the quilt.



Press seams outward.

### Finishing:

- 6. Layer, baste and quilt as desired.
- 7. Bind with (6) hunter 2½" x WOF strips.

#### **Assembly Diagram**

