



Riley Blake  
DESIGNS

WOOD CHIPS



**KNOCK ON WOOD**



# WOOD CHIPS

**FINISHED QUILT SIZE 66" x 76"**

**Finished Block Size 10" x 10"**

Measurements include  $\frac{1}{4}$ " seam allowance.

Sew with right sides together unless otherwise stated.

Please check our website [www.rileyblakedesigns.com](http://www.rileyblakedesigns.com) for any revisions before starting this project. This pattern requires a basic knowledge of quilting technique and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

## FABRIC REQUIREMENTS

1 Knock on Wood Fat Quarter Bundle (FQ-5430-18)

1½ yards (1.4 m) dark gray main (C5430 Dark Gray)

$\frac{5}{8}$  yard (60 cm) light gray dot (C5433 Light Gray)

Binding  $\frac{5}{8}$  yard (60 cm)

## CUTTING REQUIREMENTS

Please read instructions first before cutting. Seam allowances vary so measure through the center of the quilt before cutting border pieces.

### Fat Quarter Bundle

Cut rectangles  $6\frac{1}{2}$ " x  $10\frac{1}{2}$ " in the corresponding number from the following assorted prints:

- 2—dark gray main, 2—light gray main, 2—navy main
- 1—dark gray wood, 1—light gray wood, 2—teal wood
- 2—cream plus, 2—dark gray plus, 2—navy plus
- 1—dark gray dot, 2—light gray dot, 2—navy dot
- 1—cream stripe, 1—dark gray stripe, 1—navy stripe
- 2—dark gray sketch, 2—light gray sketch, 2—navy sketch

Cut rectangles  $2\frac{1}{2}$ " x  $10\frac{1}{2}$ " in the corresponding number from the following assorted prints:

- 4—dark gray main, 2—light gray main, 4—navy main
- 2—dark gray wood, 2—light gray wood, 3—teal wood
- 4—cream plus, 4—dark gray plus, 4—navy plus
- 2—dark gray dot, 4—light gray dot, 4—navy dot
- 2—cream stripe, 3—dark gray stripe, 4—navy stripe
- 4—dark gray sketch, 4—light gray sketch, 3—navy sketch

### Dark Gray Main

Cut 7 strips  $6\frac{1}{2}$ " x WOF for Border 2.

### Light Gray Dot


Cut 6 strips  $2\frac{1}{2}$ " x WOF for Border 1.

## QUILT ASSEMBLY

Refer to the Quilt Center Diagram for piece placement as each block is different.

### Chip Block

Sew 2 assorted print  $2\frac{1}{2}$ " x  $10\frac{1}{2}$ " rectangles and 1 assorted print  $6\frac{1}{2}$ " x  $10\frac{1}{2}$ " rectangle together to create the Chip Block. Repeat to create 30 Chip Blocks.



Chip Block

### Quilt Center Assembly

Refer to the Quilt Center Diagram for Chip Block placement. Lay out the blocks in 6 rows of 5 blocks. Sew the rows together to complete the center of the quilt.

### Borders

Seam allowances vary so measure through the center of the quilt before cutting border pieces. Sew border strips together end to end if necessary to get the length needed. Sew side borders first.

### Border 1

Side borders should be  $60\frac{1}{2}$ ". Top and bottom borders should be  $54\frac{1}{2}$ ".

### Border 2

Side borders should be  $64\frac{1}{2}$ ". Top and bottom borders should be  $66\frac{1}{2}$ ".

Finish quilt by layering the quilt top, batting, and back. Bind with your favorite Riley Blake fabric from the Knock on Wood Collection. Have fun with your colors and enjoy the journey of making your quilt.

# WOOD CHIPS

Quilt Center Diagram

