THE MAKER MEDIUM PATCH PANEL QUILT

Riley Blake DESIGNS



37 ½" × 51 ¾"

the maker SHE WHO SEWS J.WECKERFRISCH©

= Confident Beginner

11/1/2026

THE MAKER MEDIUM PATCH PANEL QUILT

FINISHED QUILT SIZE 37 ½" × 51 ¾"

Please read all instructions before beginning this project.
Yardage calculated using a 42" usable width of fabric.
Pattern designed by J. Wecker Frisch of Great Joy Studio.

GENERAL INSTRUCTIONS

Please check ***www.rileyblakedesigns.com/pattern-updates*** or scan the QR Code for any updates before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt diagram portrayed is a virtual image. The layout and look of your project may differ when using actual fabric. It is not recommended to prewash fabric before cutting and assembling.

Always verify your panel size before beginning. If your panel measurements differ from those given in the pattern, trim to the desired size or use coping strips to alter the size of your panel. If coping strips are needed, add oversized, coordinating strips of fabric to the necessary edges of the panel, then trim to the size specified in the pattern.

WOF = Width of Fabric
LOF = Length of Fabric
RST = Right Sides Together

FABRIC REQUIREMENTS

Fabric is from the She Who Sews, The Maker collection unless stated otherwise.

(1) PD18523-PANEL The Maker Medium Patch Panel

Additional Fabrics:
⅓ yard C18533-RED Baby Button Dot
1 ⅝ yards CD18527-WHITE Draw Near Art Toss
½ yard C18529-BLACK Sewing Shears (binding)

OTHER SUPPLIES

Basic Sewing Supplies
1 ⅓ yards WB200-PHANTOM Shade (wide back backing)
Batting

CUTTING INSTRUCTIONS

When cutting fabrics, use a straight edge ruler and rotary cutter. Measurements include ¼" seam allowance. Label, allocate, and organize all cuts as noted.



The Maker Medium Patch Panel
Fussy cut (1) 23 ½" × 37 ¾" Panel rectangle, centered over the square motifs.*

**Note: If the panel motif does not reach the edge of the required cut, add coping strips first and then trim to the required size.*



Red Baby Button Dot
Cut (4) 2" × WOF strips. Subcut:
(2) 2" × 37 ¾" rectangles. Label as A.
(2) 2" × 26 ½" rectangles. Label as B.



White Draw Near Art Toss
Cut (2) 6" × WOF strips. Subcut:
(2) 6" × 37 ½" rectangles. Label as C.
Cut (2) 6" × **LOF*** strips. Subcut:
(2) 6" × 40 ¾" rectangles. Label as D.

**These strips are cut LOF so that the fabrics are upright on the side borders.*



Black Sewing Shears
Cut (5) 2 ½" × WOF strips. Set aside for binding.

SEWING TECHNIQUES

Sew all seams RST and with a ¼" seam allowance unless stated otherwise. Refer to the Quilt Layout Diagram for placement of the fabrics. Press seams as desired unless stated otherwise. Dimensions listed in steps are unfinished sizes.

© 2026 Riley Blake Designs. All Rights Reserved.

THE MAKER MEDIUM PATCH PANEL QUILT

QUILT ASSEMBLY

1. Sew (1) **A**-rectangle to each side of the Panel rectangle. Next, sew (1) **B**-rectangle to the top and bottom. In the same manner, sew **D**-rectangles to the sides and **C**-rectangles to the top and bottom to complete the quilt top.

QUILT LAYOUT DIAGRAM



37 ½" × 51 ¾"

FINISHING INSTRUCTIONS

2. Layer the quilt top, batting, and backing. Baste the quilt layers together and quilt as desired. Sew the Black Sewing Shears binding strips together end-to-end. Then bind the trimmed, finished quilt using your favorite binding method.

Enjoy and share your quilt using the hashtags: ***#shewhosewsthemakerfabric***, ***#themakermediumpatchpanelquilt***, ***#rileyblakedesigns***, and ***#iloverileyblake***.

© 2026 Riley Blake Designs. All Rights Reserved.