

SNOWED IN PANEL QUILT

Riley Blake
DESIGNS



SNOWED IN PANEL QUILT

FINISHED QUILT SIZE 41" x 45½"

Measurements include ¼" seam allowance.

Sew with right sides together unless otherwise stated.

Please check our website www.rileyblakedesigns.com/pattern-updates for any revisions before starting this project. This pattern requires a basic knowledge of quilting technique and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

FABRIC REQUIREMENTS

- 1 Let It Snow Panel (P10818 Panel)
- 1 Snowed In 5" Stacker (5-10810-42)
- Fat Quarter Riley White Confetti Cotton (C120 Riley White)
- ⅜ Yard Black Berries (C10812 Black)
- ⅜ Yard Black Plaid (C10816 Black)
- ½ Yard Binding

ADDITIONAL REQUIREMENTS

- ¼ Yard 17" Wide Paper Backed Fusible Web

CUTTING REQUIREMENTS

Please read instructions first before cutting.
WOF - width of fabric.

Instructions are provided for raw edge appliqué. Seam allowances are not included on the appliqué shapes, add if using another appliqué technique.

Let It Snow Panel

Fussy cut 1 Center Panel 24" x 28½", centered over the large Let it Snow motif.

Snowed In 5" Stacker

Select 30 - 5" squares for Border 2.

Riley White Confetti Cotton

Using the instructions below cut:

- 2 - Large Snowflake
- 2 - Small Snowflake

To cut appliqué snowflakes, print the shapes (page 3). Trace around the snowflakes onto the paper side of the fusible web. Cut around the drawn snowflakes leaving a ¼" border of fusible web. Fuse to the wrong side of the fabric and, once cool, cut out on the drawn line.

Black Floral

Cut 4 strips 3" x WOF for Border 3.

Black Plaid

Cut 1 strip 3½" x WOF.

Sub-cut from strip:

4 - 3½" squares

Cut 4 strips 2¼" x WOF for Border 1.

Binding

Cut 5 strips 2½" x WOF for Binding.


QUILT ASSEMBLY

Refer to the quilt photo and layout diagram for the placement of prints. Press seam allowances as shown in the diagrams unless otherwise stated.

Quilt Center

Draw a diagonal line on the wrong side of the Black Plaid 3½" squares.

Place a Black Plaid 3½" square on the upper left corner of the Center Panel, right sides together (RST), with the drawn line running across the corner. Sew on the drawn line. Trim the seam allowance above the sewn line to ¼". Flip the Black Plaid square away from the Center Panel and press.



Repeat to add a Black Plaid square to all 4 corners of the Center Panel to complete the Quilt Center (24" x 28½").

Borders

Seam allowances vary so measure through the center of the quilt before cutting border pieces.

Sew side borders to the first. Press seam allowances towards the borders.

Border 1

Side borders should be 28½". Top and bottom borders should be 27½".

SNOWED IN PANEL QUILT

Border 2

Sew together 7 of the 5" squares into a column. Repeat to make 2 Borders (5" x 32"). Sew to the left and right edges of the Quilt Center.

Sew together 8 of the 5" squares into a row. Repeat to make 2 Borders (5" x 36½"). Sew to the top and bottom edges of the Quilt Center.

Border 3

Side borders should be 41". Top and bottom borders should be 41½".

Appliqué Snowflakes

Position the Snowflake on the quilt top as shown in the quilt photo. Fuse in place.



Stitch around the Snowflakes using a zig zag, satin or button hole stitch to complete the Quilt Top (41½" x 46").

Finish quilt by layering the quilt top, batting, and back. Bind with the your favorite Snowed In print. Have fun with your colors and enjoy the journey of making your quilt.

Quilt Layout Diagram



SNOWED IN PANEL QUILT



1" square.
Measure to
ensure the
correct size.