


Lesigner WIDE BACKS





Always in Season by American Jane



Multi Flower Garden Wide Back



Blue Blooming Bright Wide Back



White Blooming Bright Wide Back



A Walk on the Prairie by Modern Prairie



White Sunbonnet Sue Wide Back

Press On by J. Wecker Frisch

the elbows of coats and draws by spreading the at on the board, covering the care portion with a press cloth, and pressent trainly on press cloth, is one detailed instruction conversing the pressing of ticles is the or at 2.5 to 1.4.4, inch.

A compared to the second of an uroning space of the upper form conscious to the second of the wall he prop as a supper second of the wall of the wall of the wall of the wall of the second of the sec

nd the board is, it should be substantially built so firm. Also, it must be of the proper height for the requestry of the proper height for the requestry of the pair of the pair of

oted Dec 9 1862

has his by the Tr

padded so that there will be spring to it. Heavy faced cotton flamel or silence of the like that used on make excellent cover- ar care is necessary to have no wrinkles in the padding, undesirable shiny streaks on garments pressed over arly wool garments.

be ironing sheet over the padding, new unbleached is been washed to remove all dressing, is very good, or ay be all four they do not last long as a rule.

The request of the coverage of the

should be large end to control be board proportion the under surface several mel. There is of mening, but preference should be given the permits use in changing the coverings and do not require much time. A very spracful plan is to have brass or ivor transfer sewed like a one edge about 6 inches art. Then, apposite edge to corresponding as with this long enough to

swith a swith a ds long enough to d tie.

In ped with rings over taut, a still the heater.

The rings of the swith rings over taut, a still the heater.

tands on wine that the god when the wive to the

WOOLEN WEMEN

ring and Street ress in garments freving the land ring. It is a series of the land ring. It is a series of the land ring. It is a series of the land ring. Arts. 80, 81, and the bathtul ring of the resorted to in

ten possible to shrink away is riness at the knees of the elbows of coats and dream by spreading the at on the board, covering the 12 by portion with a I press cloth, and pressent that we press cloth is ore detailed instruction controlling the oriessing of ticles is river in a 12 255 to 144, inch.

Goards In sec. selection of an troupe space of the selection of a boards with a selfid that folds for a boards which requires a cheer some kind; or a boards which requires a cheer some kind; or a boards which requires a cheer some kind; or a boards which requires a cheer some kind; or a board in Fig. 11. This type met the wall seed cupboard having a door, lost the wall cupboards,

WB15264-BLACK can be purchased complete and itchen.

in should be substantially built so fir 8 89333 37128 1 it be of the proper height for the

©2024 RILEY BLAKE DESIGNS AND J. WECKER FRISCH

A precaution some women take is to tack a small asbestos for the end loard on which the iron agree with while but not sary extra promote are endous by

irons—There are atous the iron; the old-fashioned, stove-heated flat or ord, iron made entirely of iron, irons with wooden handles, also electric, gained alcohol irons atove-heated

to an ironer to be to a self-heating iron do to as a self-heating steps, for instead of ironing near a hot stove or going to to forth to exchange a cold iron for a hot one, she can iron in one shot, and that a comfortable one. The type chosen, he wer, will depend on the facilities available for heating, but the type.

38. As the stove-heated rons, flat irons with patent wooden handle and facing of steel, Fig. 4, are more modern than the old-oned irons of wrought iron, the most modern style having a temovable handle and oper carries g, as has the iron in Fig. 15. Such irons do not hold in a so well, nor are new made in so many different states the wrong their cones. The however, easier on the half of the states of the s

A cas iron, which is con is one of the illustration of the illustration is a safer and interesting and afts that may

manufacturer's to the second of the second o

heaving the step forward in the iron directly under the hound are step forward in the iron directly under the hound as possible, for by the iron in the iron in process as early desired degree may be the iron to the iron to

sible usage. The transfer of the heatir it as soon as any soon of the heattype, take care not to the heattype turn the heat off or the light as a light of the heat-

iron may be tested. A total to the peating and of the proof of the pro

41. In the placed 90 ped with the property of this out to the placed of this out to the placed of the placed ped with the plac

For the worker, the window should be to the left of the worker, the outlet so located that, when the ironing board is properly placed and the iron is in use, the cord of the

ironings, and cover. Many electric irons have an attached rest on which the usual to tipped back when not in use, but even in connection at wait as in the tipped back when not in use, but even in connection at wait as in the tipped back when not in use, but even in connection at wait as in the tipped back when is a helpful aid in protecting the cover. A set included of stand is shown in Fig. 13. This has a clamp effect that the stand which is very flat, sectively in place. Of course, these are many other types of stands from which to make a selection; is being necessary to keep in mind that the stand should be flat, adequate a size, and capable of being anchored in position.

A precauter some women take is to tack a smr asbestos for the end search on which the iron gives withwhile but not say extra-

irons—There are alous typiron; the old-fashioned, stove-heated flator and iron made entirely of iron, irons with wooden handles, also electric, galance and alcohol irons stove-heated alous work shows a stove-heated to an irone.

g the comics of ease to an ironer to an ironer to an ironer to a self-heating iron do to heat to an ironer to heat to an ironer to heat to he woman who employs a self-heating iron do to heat to heat

38. Appet the stove-heated rons, flat irons with patent wooden handle of facing of steel. Fig. 4 are more modern than the old-

door-bell, such other ealls that are a lit is well to donsider ventile of air may a seem so necessary in boon when the summer days make the little street of the street of

which the description of a second confidence of the confidence of

ous tractions and the ment that the A consists of a combination of part the man and a corresponding heatesthermostal safe a special assing that portion of the pressure it issing that portion of the consists of a combination of part the most of a combination of part the most of a combination of the consists of a combination of part the most of a combination of the consists of a combination of exactly is being heatest the most of the consists of a combination of exactly is being heatest the most of the consists of a combination of exactly is being heatest the consists of a combination of exactly is being heatest the consists of a combination of exactly is being heatest the consists of a combination of part the consists of a combination of exactly is consistent to the consists of a combination of exactly is consistent to the consists of a combination of a combination of exactly is consistent to the consists of a combination of a combination of exactly is consistent to the consists of a combination of a combination of exactly is consistent to the consists of a combination of

In the operant. In the present of th

protection from dust and moisture mechanical device, also the waxing ar face for most efficient service.

44. Mangle.—Another type of ir trated in Fig. 19. This is an ironing r either hand- or power-turned and tha wringer.

bons large sheets after they have been a great time and labor save in families and bence large washings the purchase and have stated as a great time and labor save in families and bence large washings the purchase and have the other are so that a secret or knowledge with a separate meter rates to be those for lighting.

45 Just how much ironing is do

45 As how much ironing is do ironing machine depends on the ski operation man is how at a pure to the gathers and the shoring sparmant p other and age. The intelligent operator is able to do

iron will not be bent at too great an ang bent will soon wear out. It is well, a connection with respective the position of

don't in the kitchen, for naturally the show not be in the center of the flowided course, all other features a not to work to walk around the board door-bell, thurch other calls that are as


It is well to consider ventile or air may be seem so necessary in boon where a summer days make a

42. In a light, but specified which is the second of the s

ous if the fident when that the the A transfer of the fident the A transfer of the fident the fig. 18. This consists of a combination of particular around board



Press On by J. Wecker Frisch



Market Desire County Steem of Market Steems of Market Ste

Cheddar at Twilight by The RBD Designers



Cream Scarf Print Wide Back

AVAILABLE SEPTEMBER 2024 | LAST CALL - APRIL 1, 2024

available August - September 2024 last call March 1, 2024 - April 1, 2024

100% FINE COTTON · 107/108" WIDE · MADE IN MEXICO



9646 South 500 West Sandy, UT 84070 888.768.8454 · 801.816.0540 www.rileyblakedesigns.com

©2024 Riley Blake Designs & Assorted Designers

Machine Wash Cold No Chlorine Bleach Tumble Dry Low Remove Promptly Not Intended for Children's Sleepwear

The projects portrayed are virtual images. The look of the projects may differ with actual fabric.

The project virtual(s) shown may be different than the image shown on the pattern cover.

Approximate fabric requirements are listed to aid in estimating the amount of yardage to order and are subject to change.

Backing yardage is shown using the best use of fabric and may not be intended for directional fabric.